# **Mood Disorder Questionnaire** [MDQ]

Name: Date:		
<b>Instructions:</b> Check ( ) the answer that best applies to you. Please answer each question as best you can.	Yes	No
1. Has there ever been a period of time when you were not your usual self and		
you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?		
you were so irritable that you shouted at people or started fights or arguments?		
you felt much more self-confident than usual?		
you got much less sleep than usual and found you didn't really miss it?		
you were much more talkative or spoke faster than usual?		
thoughts raced through your head or you couldn't slow your mind down?		
you were so easily distracted by things around you that you had trouble concentrating or staying on track?		
you had much more energy than usual?		
you were much more active or did many more things than usual?		
you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?		
you were much more interested in sex than usual?		
you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?		
spending money got you or your family in trouble?		
2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time? Please check 1 response only.		
3. How much of a problem did any of these cause you — like being able to work; having family, money, or legal troubles; getting into arguments or fights?  Please check 1 response only.		
No problem Minor problem Moderate problem Serious problem		
4. Have any of your blood relatives (ie, children, siblings, parents, grandparents, aunts, uncles) had manic-depressive illness or bipolar disorder?		
5. Has a health professional ever told you that you have manic-depressive illness or bipolar disorder?		

This questionnaire should be used as a starting point. It is not a substitute for a full medical evaluation. Bipolar disorder is a complex illness, and **an accurate, thorough diagnosis can only be made through a personal evaluation by your doctor.** 

#### PATIENT HEALTH QUESTIONNAIRE (PHQ-9)

ID #:		DATE:		
Over the last 2 weeks, how often have you been				
bothered by any of the following problems?  (use "✓" to indicate your answer)	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so figety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead, or of hurting yourself	0	1	2	3
	add columns	-	+	+
(Healthcare professional: For interpretation of TOTA please refer to accompanying scoring card).	AL, TOTAL:			
10. If you checked off any problems, how difficult		Not diffi	cult at all	
have these problems made it for you to do		Somew	hat difficult	
your work, take care of things at home, or get		Very dif	ficult	
along with other people?		-	ely difficult	
		LAUCING	ory annount	

Copyright © 1999 Pfizer Inc. All rights reserved. Reproduced with permission. PRIME-MD© is a trademark of Pfizer Inc. A2663B 10-04-2005

## GAD-7 Anxiety

Over the <u>last two weeks</u> , how often have you been bothered by the following problems?	Not at all	Several days	More than half the days	Nearly every day
Feeling nervous, anxious, or on edge	0	1	2	3
Not being able to stop or control worrying	0	1	2	3
Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it is hard to sit still	0	1	2	3
Becoming easily annoyed or irritable	0	1	2	3
<ol> <li>Feeling afraid, as if something awful might happen</li> </ol>	0	1	2	3
Column totals	+		+	· =
Total score				
If you checked any problems, how difficult have they made it for you to do your work, take care of things at home, or get along with other people?				

Source: Primary Care Evaluation of Mental Disorders Patient Health Questionnaire (PRIME-MD-PHQ). The PHQ was
developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke, and colleagues. For research information, contact Dr.
Spitzer at ris8@columbia.edu. PRIME-MD® is a trademark of Pfizer Inc. Copyright© 1999 Pfizer Inc. All rights reserved.
Reproduced with permission

Somewhat difficult

Very difficult

Extremely difficult

## Scoring GAD-7 Anxiety Severity

This is calculated by assigning scores of 0, 1, 2, and 3 to the response categories, respectively, of "not at all," "several days," "more than half the days," and "nearly every day." GAD-7 total score for the seven items ranges from 0 to 21.

0-4: minimal anxiety

5-9: mild anxiety

Not difficult at all

10–14: moderate anxiety

15-21: severe anxiety

#### **Drug Abuse Screening Test, DAST-10**

The following questions concern information about your possible involvement with drugs *not including alcoholic beverages* during the past 12 months.

"Drug abuse" refers to (1) the use of prescribed or over-the-counter drugs in excess of the directions, and (2) any nonmedical use of drugs.

The various classes of drugs may include cannabis (marijuana, hashish), solvents (e.g., paint thinner), tranquilizers (e.g., Valium), barbiturates, cocaine, stimulants (e.g., speed), hallucinogens (e.g., LSD) or narcotics (e.g., heroin). Remember that the questions *do not* include alcoholic beverages.

Please answer every question. If you have difficulty with a statement, then choose the response that is mostly right.

1 4.1.			
in tr	e past 12 months	Υ	N
1.	Have you used drugs other than those required for medical reasons?	Yes	No
2.	Do you abuse more than one drug at a time?	Yes	No
3.	Are you unable to stop abusing drugs when you want to?	Yes	No
4.	Have you ever had blackouts or flashbacks as a result of drug use?	Yes	No
5.	Do you ever feel bad or guilty about your drug use?	Yes	No
6.	Does your spouse (or parents) ever complain about your involvement with drugs?	Yes	No
7.	Have you neglected your family because of your use of drugs?	Yes	No
8.	Have you engaged in illegal activities in order to obtain drugs?	Yes	No
9.	Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs?	Yes	No
10.	Have you had medical problems as a result of your drug use (e.g. memory loss, hepatitis, convulsions, bleeding)?	Yes	No
<b>Scoring:</b> Score 1 point for each question answered "Yes," except for question 3 for which a "No" receives 1 point.		Score:	

Drug Abuse Screening Test (DAST-10). (Copyright 1982 by the Addiction Research Foundation.)